NIKITA
Greentech Recycling Ltd.

Date: November 23, 2026

The Manager,
Listing Department,
National Stock Exchange of India Limited,
Exchange Plaza, 5th Floor,
Plot No. C-1, Block G,
Bandra Kurla Complex, Bandra (E),
Mumbai – 400 051.

NSE Symbol: NIKITA
ISIN: INE0FLF01015

Sub.: Intimation under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 – Receipt of Consent to Operate (CTO) for Capacity Expansion at the Company's Manufacturing Facility Located at C-10, Industrial Estate, Panipat Road, Shamli, Uttar Pradesh – 247 776.

Dear Sir/Madam,

*This is in continuation of our earlier letter dated **July 31, 2025**, regarding **receipt of Consent to Establish (CTE) from the Uttar Pradesh Pollution Control Board (UPPCB)** for the proposed capacity expansion at the Company's manufacturing facility situated at C-10, Industrial Estate, Panipat Road, Shamli, Uttar Pradesh – 247776.*

In this regard, we wish to inform you that the Company has now received the **Consolidated Consent to Operate and Authorisation (CCA/CTO) (Fresh)** from the UPPCB vide Reference No. **282999/UPPCB/Circle3(UPPCBHO)/CTO/both/SHAMLI/2026**, dated November 6, 2026, bearing Application ID 39298541.

The aforesaid CTO has been granted for the Company's manufacturing facility for the period commencing from **October 6, 2026 to December 31, 2028**, authorising the manufacturing of the following:

1. Kraft Paper – 550 Metric Tonnes per Day (MTD).
2. Captive Power Plant – 9 MW Turbine.

The Company further informs that although the aforesaid CTO bears the date **November 6, 2026**, the same was received by the Company on **November 23, 2026**.

The CTO also specifies the installation/operation of 1 × 55 TPH Multi-Fuel Boiler along with the requisite air pollution control systems.

Further, pursuant to Regulation 30 read with Para B of Part A of Schedule III of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 and SEBI Master Circular No. **HO/49/14/14(7)2025-CFD-POD2/I/3762/2026**, issued on July 11, 2023 and last updated on January 30, 2026, the requisite disclosures in respect of the capacity addition are provided below:

DIVAM MITTAL
Digitally signed by DIVAM MITTAL
Date: 2026.11.23 22:05:17 +05'30'

+91- 7300712189
info@nikitapapers.com
www.nikitagreentechrecycling.com
Regd. Office: A-10, 1st Floor, Landmark Near Deepali Chowk, Saraswati Vihar, Pitampura, North West, New Delhi – 110034, India
Corp. Office: C-10, Industrial Estate, Panipat Road, Shamli – 247776, Uttar Pradesh, India
CIN No.: L17010DL1989PLC129066
GST No.: 09AAACN0473F1ZO

Particulars	Details
Existing Capacity	400 Metric Tonnes per Day (MTD) of Kraft Paper.
Existing Capacity Utilisation	87.50%, as previously disclosed by the Company.
Proposed Capacity Addition	Increase in Kraft Paper manufacturing capacity from 400 MTD to 550 MTD, resulting in an additional capacity of 150 MTD. The expansion also includes installation of 1 × 55 TPH Multi-Fuel Boiler and a 9 MW Captive Power Plant (Turbine), as covered under the CTO granted by UPPCB.
Period within which the Proposed Capacity is to be Added	The CTO has been granted for the period from October 6, 2026 to December 31, 2028. The actual date of commencement of commercial production from the expanded capacity shall be intimated separately to the Stock Exchange upon commencement.
Investment Required	Approximately ₹50 Crores, as disclosed in the Company's earlier intimation dated July 31, 2025.
Mode of Financing	Through proceeds of the Company's Initial Public Offering (IPO), as disclosed earlier.
Rationale	To enhance the Company's Kraft Paper manufacturing capacity to cater to growing market demand, strengthen in-house power generation capabilities, improve operational efficiency and support sustainable manufacturing practices.

The Company shall separately intimate the Stock Exchange regarding the actual commencement of commercial production from the expanded capacity, as and when the same commences, in accordance with the applicable provisions of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015.

The above information shall also be available on the Company's website www.nikitagreentechrecycling.com.

We request you to take the same on record.

Thanking You.
Yours Faithfully,

For Nikita Greentech Recycling Limited,
(formerly known as Nikita Papers Limited)

DIVAM MITTAL
Digitally signed by DIVAM MITTAL
Date: 2026.11.23 22:05:54 +05'30'

Divam Mittal
Company Secretary & Compliance Officer
ICSI Membership No.: ACS74699

Encl.: *Copy of Consent to Operate (CTO/CCA) issued by UPPCB.*

Uttar Pradesh Pollution Control Board
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

Category : RED **Application Id : 39298541**

282999/UPPCB/Circle3(UPPCBHO)/CTO/both/SHAMLI/2026 **Date: 06/11/2026**

To,

NIKITA GREENTECH RECYCLING LIMITED FORMALLY KNOWN AS NIKITA PAPERS LIMITED

C-10 Industrial Estate, Panipat Road 247776

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule-6(2) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 notified under Environment (Protection) Act, 1986 as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CCA is hereby granted to **NIKITA GREENTECH RECYCLING LIMITED FORMALLY KNOWN AS NIKITA PAPERS LIMITED** located at **C-10 Industrial Estate, Panipat Road 247776**. subject to the provisions of **the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA NIKITA GREENTECH RECYCLING LIMITED FORMALLY KNOWN AS NIKITA PAPERS LIMITED **granted for the period from 06/10/2026 to 31/12/2028** and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	Kraft Paper- 550 MTD	550	Metric Tonnes/Day
2	Captive Power Plant- 09 MW Turbine	09	Megawatt

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Industrial	**1124 KLD**	**ETP**	**ZLD (Treated effluent will be reused in Gardening. No treated trade effluent will be discharged outside the premise)**
Domestic	**8.0 KLD**	**Septic Tank**	

ANAND KUMAR ANAND
Digitally signed by ANAND KUMAR ANAND
Date: 2026.11.20 11:32:02 +05'30'

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
1	BOD	30 mg/l
2	COD	250 mg/l
3	TSS	100 mg/l
4	Oil & grease	10 mg/l

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality.In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

S No.	Parameters	Standards

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	1 X 10 TPH Multi Fuel Boiler	RDF/Biomass/Coal	4	Particulate Matter	with bag filter and 30 meter Stack Height from Ground Level

2	1 X55 TPH BOILER WITH 9 MW TURBINE	RDF/Biomass/Coal	1	Particulate Matter	with selective non catalytic reduction (SNCR), Multi cyclone, dry scrubber (Lime and Carbon Dosing system) and Electrostatic precipitator as APCS and 60 meter stack height from Ground Level
3	2 X 18 TPH Boiler with respectively 2 MW TURBINE and 1.4 MW TURBINE	RDF/Biomass/Coal	2 & 3	Particulate Matter	Gravity Dust Settling Chamber, Multi Cyclone Separator, Wet Scrubber, SNCR & Calcium Dosing Equipments, bag filter, wet scrubber as APCS and 30 meter Stack Height from Ground Level separately

Emmission Quality Standards

S No.	Stack no	Parameters	Standards
1	1,2,3,4	Particulate Matter	As per CAQM Direction

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

ANAND KUMAR ANAND

Digitally signed by ANAND KUMAR ANAND
Date: 2026.11.20 11:32:29 +05'30'

The Factory Manager of NIKITA GREENTECH RECYCLING LIMITED FORMALLY KNOWN AS NIKITA PAPERS LIMITED. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes. The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity(ton/annum)
1	Used or Spent oil (Schd-I, Cat.-5.1)	TSDF/recycle	0.5 MT/Annum
2	Empty Barrels/Containers/Liners Contaminated with Hazardous Chemcial/waste (Schd-I, Cat.-33.1)	TSDF	0.4 MT/Annum
3	Contaminated Cotton Rags or Other cleaning materials (Schd-I, Cat.-33.2)	TSDF	0.3 MT/Annum

The authorization shall be in force and shall be valid upto 31/12/2028. The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of Hazardous Waste authorization :-

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

(viii) The authorization is valid for temporary storage of Hazardous Waste within premises only.

(ix) The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises

(x) It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

(xi) The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

(xii) In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

(xiii) Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

(xiv) Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
(xv) The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
(xvi) The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
(xvii) In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

5. Essential documents to be submitted by the Industry/Unit as Applicable:-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
6. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
7. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.
8. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-http://www.upecp.in/TrainingSession.aspx for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.
9. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected

to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-
1. This CCA is valid to unit M/s NIKITA GREENTECH RECYCLING LIMITED (FORMELY KNOWN AS NIKITA PAPERS LIMITED), C-10, INDUSTRIAL ESTATE, PANIPATH ROAD, DISTRICT-SHAMLI for the production of Kraft Paper - 550 MTD by using waste paper- 612 TPD, as raw material, Captive Power Plant- 09 MW Turbine. Earlier Board has issued CCA to the said unit vide letter Ref. no.-254806/UPPCB/Circle3(UPPCBHO)/CTO/both/SHAMLI/2025 dated 31.12.2025, is revoked.
2. The industry must comply with the conditions of NOC issued to unit from the UPGWD for abstraction of ground water.
3. No plant and machinery shall be installed in the industry without obtaining CTE from UPPCB.
4. Domestic effluent 8.0 KLD will be disposed through septic tank.
5. Industrial effluent 1124 KLD will be treated through installed 1200 KLD ETP. The main ETP units are equalization tank, hil screen, sedicell, primary clarifier, aeration tank-I, II, secondary clarifier-I, II, multi grade filter, sludge drying beds, filter press etc. After treatment the treated effluent will be reused in process. This consent is valid only for Zero Liquid Discharge (ZLD). No effluent shall be allowed to discharge outside the factory premises.
6. Industry shall submit Stack Emission/Ambient Air Quality Monitoring/Analysis report from Boards Laboratory, after issuing this certificate within one month and on quarterly basis from a certified / approved laboratory under E.P. Act 1986 to the Board by LIMS Portal.
7. The unit will not use agro based raw materials in the production process.
8. The unit shall maintain strict supervision upon fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
9. The Unit shall install Piezometer for measurement of ground water level and the data generated from Piezometer will be provided to the SPCB on monthly basis.
10. Industry shall install/maintain Online Continuous Effluent and emission Monitoring System (OCEMS) on ETP and stack & connect it with SPCBs and CPCB server, as per the direction of CPCB issued time to time.
11. The industry shall install electromagnetic flow meter at water source and outlet of ETP, and maintain the records of water abstracted and recycled treated effluent. The treated effluent from the Effluent Treatment Plant shall be reused/recycled completely and comply with ZLD.
12. The unit shall ensure deployment of qualified manpower to step up self monitoring mechanism on 24 ×7 basis.
13. If the CPCB or UPPCB issues the Closure order against the industry this consent order stands automatically suspended for that period.
14. One Boiler of capacity 55 TPH with 09 MW Turbine shall install with selective non catalytic reduction (SNCR), Multi cyclone, dry scrubber (Lime and Carbon Dosing system) and Electrostatic precipitator as

ANAND KUMAR ANAND
Digitally signed by ANAND KUMAR ANAND
Date: 2026.11.20 11:32:44 +05'30'

APCS and 60 meter stack height from Ground Level. 2 X 18 TPH Boiler are installed with Gravity Dust Settling Chamber, Multi Cyclone Separator, Wet Scrubber, SNCR & Calcium Dosing Equipments, bag filter, wet scrubber as APCS and 30 meter Stack Height from Ground Level separately. RDF-1200 MTD, BIOMASS-675 MTD, COAL-450 MTD will used as fuel in boiler.1 X 10 TPH Multi Fuel Boiler is installed with bag filter and 30 meter Stack Height from Ground Level. After operation of 55 TPH Boiler, Boilers of capacity 18 TPH with 2.0 MW Turbine, 18 TPH with 1.4 MW Turbine and 10 TPH will be installed standby. Any source of emission other than that mentioned in the Air consent seeking application will not be permitted by the Board.

15. The industry shall maintain and operate APCS installed with Boilers in a way that emission generated from stacks will always comply with norms as per CAQM direction. Only approved Fuel for Boiler is permitted as per direction given by CAQM.

16. Unit shall comply with direction issued under Graded Response Action Plan (GRAP) time to time by Hon'ble Supreme Court & Commission for Air Quality Management in NCR and Adjoining Areas (CAQM).

17. Unit shall comply with the CAQM (Commission for Air Quality Management in NCR and Adjoining Areas) direction no. 65 and other direction issued time to time regarding use of cleaner fuel.

18. Unit shall comply with the CAQM (Commission for Air Quality Management in NCR and Adjoining Areas) directions regarding DG sets. Unit shall comply with the CAQM direction for flue gas in particulate matter in issued direction no.-98.

19. The unit shall be monitored all sources of emissions from Boiler/Thermopack etc. after fuel conversion from Regional Laboratories, UPPCB on payment basis within a month. To ensure emissions parameters as per CAQM order.

20. The dying, bleaching and deinking process are not allowed in the production process of the unit. The unit will not use agro based raw materials in the production process.

21. The industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986 and the various orders issued by the MOEF&CC, CPCB and SPCB in time to time.

22. The use of Pet coke and Furnace oil as a fuel in the factory is restricted in compliance of the Hon'ble Supreme court order till further direction.

23. Fly ash shall be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with storm water. Direct exposure of workers to fly ash & dust shall be avoided.

24. The Industry will use minimum 20% Bio Briquette as fuel in the Boiler depending upon its availability.

25. The industry shall obtain prior consents in the event of any addition of new emission generation sources such as- Boiler/ Furnace/ Heaters/ D.G. Sets or alteration of existing emission sources in accordance with section- 21/22 of air Act 1981 (as amended respectively).

26. Industry shall submit Environmental Statement in prescribed form V as per rule no.14 of E.P Rules 1986.

27. The industry shall ensure provisions of Roof Top Rain Water Harvesting system and Ground Water Recharging Proposal/compliance report should be sent to the Board within One month.

28. Unit must ensure strict time bound compliance of suggestion / recommendation of "Charter for Water Recycling & Pollution Prevention in Pulp & Paper Industries" formulated by CPCB.

29. The industry shall provide adequate arrangement for fighting the accidental leakages/ discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.

30. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent

would be deemed void.
31. Industry shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court, Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.
32. Industry shall comply with various Waste Management Rules as notified by MoEF&CC i.e. Plastic Waste Management Rules, 2016, Solid Waste Management Rules, 2016, Hazardous and Other Wastes (Management and Transboundary) Rules, 2016, E-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016, Battery Rules 2000 and Noise Pollution (Regulation and Control) Rule, 2000.
33. The unit shall submit the audited balance sheet for the current year.
34. The industry shall establish Miyawaki forest inside the factory premises in sufficient area the treated effluent from the ETP shall be used for forestation/irrigation within premises.
35. Minimum 33% of the land on which industry is established will be covered by the plantation of tall trees of suitable species as per the guidelines set up by the Board vide its Office Order no.H16405/220/2018/02 dt. 16/02/2018.
36. As per Solid Waste Management Rules, 2016 the definition of RDF is as below:- "refused derived fuel" (RDF) means fuel derived from combustible waste fraction of solid waste like plastic, wood, pulp or organic waste, other than chlorinated materials, in the form of pellets or fluff produced by drying , shredding, dehydrating and compacting of solid waste;
37. Unit shall comply with Solid Waste Management Rules, 2016. The related points of Solid Waste Management, Rules 2016 is as below:- "18. Duties of the industrial units located within one hundred km from the refused derived fuel and waste to energy plants based on solid waste- All industrial units using fuel and located within one hundred km from a solid waste based refused derived fuel plant shall make arrangements within six months from the date of notification of these rules to replace at least five percent of their fuel requirement by refused derived fuel so produced. 21. Criteria for waste to energy process.- (1) Non recyclable waste having calorific value of 1500 K/cal/kg or more shall not be disposed of on landfills and shall only be utilized for generating energy either or through refuse derived fuel or by giving away as feed stock for preparing refuse derived fuel. (2) High calorific wastes shall be used for co-processing in cement or thermal power plants."
38. Unit shall comply with Guidelines (as amended) on USAGE OF REFUSE DERIVED FUEL IN VARIOUS INDUSTRIES issued by Ministry of Housing and Urban Affairs October, 2018.
39. Any kind of processing, Segregation & use of municipal solid waste as fuel in industry will be prohibited.
40. Unit shall use RDF as fuel in Captive Power Plant only.
41. Unit shall not store RDF more than 10 days capacity and shall maintain logbook regarding used & transported RDF, RDF cannot be transported in open vehicles and unit shall also obtain certificate from producer of RDF.
42. Unit shall comply with new protocol regarding OCEEMS.
43. This Consent to Operate (CTO) will come into force only after the Online Continuous Emission Monitoring System (OCEMS) shall be installed at the pollution source and connected to the CPCB server.
44. Unit shall comply with the OM dated 29th October, 2025 regarding Rationalizing the requirement of green belt/green cover for Industrial Estates/Parks and individual industries based on pollution potential.

ANAND KUMAR ANAND
Digitally signed by ANAND KUMAR ANAND
Date: 2026.11.20 11:33:10 +05:30
CEO-3

Copy to:

Regional Officer, UPPCB, Muzaffarnagar

ANAND KUMAR ANAND

Digitally signed by ANAND KUMAR ANAND
Date: 2026.11.20 11:33:18 +05'30'

CEO-3

मिशन LiFE - पर्यावरण के लिए जीवन शैली

(Lifestyle For Environment)

जनसहभागिता का सन्देश

- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइक्लिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्कीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |